

Table of Contents

Directadmin Hooks Daftar Lengkap

.....

1

Lokasi File

.....

1

Hooks Pre

.....

1

Hooks Post

.....

2

Directadmin Hooks Daftar Lengkap

Directadmin memiliki fitur untuk menjalankan script custom di awal atau akhir proses pada setiap aksi di control panel. Contoh pada setiap akses menciptakan user atau menghapus user. Pada proses tersebut kita bisa menyisipkan script yang bisa dieksekusi di awal pembuatan user (pre) atau setelahnya (post).

Lokasi File

File hooks script terdapat pada direktori berikut ini

- Directory: /usr/local/directadmin/scripts/custom/
- Permissions: 700
- Ownership: diradmin:diradmin

Hooks Pre

Berikut ini adalah daftar lengkap hooks directadmin pre atau script yang di eksekusi sebelum proses utama dilakukan.

- all_backups_pre.sh
- all_pre.sh
- autoresponder_delete_pre.sh
- autoresponder_set_pre.sh
- backup_save_pre.sh
- brute_force_notify_pre.sh
- cron_set_pre.sh
- database_create_pre.sh
- database_delete_pre.sh
- database_user_password_change_pre.sh
- domain_change_pre.sh
- domain_create_pre.sh
- domain_destroy_pre.sh
- domain_modify_pre.sh
- domain_pointer_create_pre.sh
- domain_pointer_destroy_pre.sh
- email_change_pass_pre.sh
- email_create_pre.sh
- email_destroy_pre.sh
- email_filter_write_pre.sh
- filemanager_pre.sh
- forwarder_create_pre.sh
- forwarder_delete_pre.sh
- ip_change_pre.sh
- letsencrypt_pre.sh
- load_spike_notice_pre.sh

- lost_password_pre.sh
- overusage_notice_pre.sh
- public_html_link_set_pre.sh
- reseller_destroy_pre.sh
- reseller_modify_pre.sh
- sendmail_pre.sh
- session_destroy_pre.sh
- ssl_save_pre.sh
- subdomain_create_pre.sh
- subdomain_destroy_pre.sh
- tally_pre.sh
- user_activate_pre.sh
- user_backup_compress_pre.sh
- user_backup_pre.sh
- user_create_pre.sh
- user_destroy_pre.sh
- user_httpd_write_pre.sh
- user_modify_pre.sh
- user_password_change_pre.sh
- user_restore_pre.sh
- user_suspend_pre.sh
- vacation_set_pre.sh

Hooks Post

Berikut ini adalah daftar lengkap hooks directadmin pre atau script yang di eksekusi setelah proses utama dilakukan.

- all_backups_post.sh
- all_post.sh
- all_restores_post.sh
- autoresponder_set_post.sh
- check_partitions_notice_post.sh
- cron_set_post.sh
- [check_letsencrypt_expiries_post.sh](#)
- database_create_post.sh
- database_delete_post.sh
- database_user_create_post.sh
- database_user_destroy_post.sh
- database_user_password_change_post.sh
- dkim_create_post.sh
- dns_create_post.sh
- dns_delete_post.sh
- dns_raw_save_post.sh
- dnssec_sign_post.sh
- dns_write_post.sh
- domain_change_post.sh
- domain_create_post.sh
- domain_destroy_post.sh

- domain_modify_post.sh
- domain_pointer_create_post.sh
- domain_pointer_destroy_post.sh
- email_change_pass_post.sh
- email_create_post.sh
- email_destroy_post.sh
- email_filter_write_post.sh
- file_manager_upload_post.sh
- forwarder_create_post.sh
- forwarder_delete_post.sh
- ftp_delete_post.sh
- ip_change_post.sh
- ipsconf_write_post.sh
- letsencrypt_post.sh
- load_spike_notice_post.sh
- named_action_post.sh
- openlitespeed_ips_conf_write_post.sh
- openlitespeed_listeners_write_post.sh
- overusage_notice_post.sh
- public_html_link_set_post.sh
- reseller_modify_post.sh
- spam_script_chmod_0_post.sh
- ssl_save_post.sh
- subdomain_create_post.sh
- subdomain_destroy_post.sh
- tally_post.sh
- tally_rotation_post.sh
- tally_user_post.sh
- taskq_dns_post.sh
- update_post.sh
- user_activate_post.sh
- user_backup_post.sh
- user_create_post.sh
- user_destroy_post.sh
- user_httpd_write_post.sh
- user_info_modify_post.sh
- user_modify_post.sh
- user_password_change_post.sh
- user_restore_fail_post.sh
- user_restore_post.sh
- user_suspend_post.sh
- vacation_set_post.sh

Demikian informasi seputar hooks directadmin semoga bermanfaat.

From:

<https://www.pusathosting.com/kb/> - **PusatHosting Wiki**

Permanent link:

<https://www.pusathosting.com/kb/directadmin/directadmin-hooks?rev=1625194123>

Last update: **2021/07/01 22:48**

