

## Table of Contents

<b>Merubah Hostname di Linux .....</b>	<b>1</b>
<b><i>Merubah Hostname di Centos .....</i></b>	<b>1</b>



# Merubah Hostname di Linux

Secara default ketika server berjalan maka secara otomatis server akan mempunyai nama server disebut hostname. Pada beberapa software seperti cpanel, directadmin dan service seperti httpd/apache membutuhkan hostname agar bisa berjalan.

Berikut ini adalah panduan cara merubah hostname di linux

## Merubah Hostname di Centos

Untuk merubah hostname di centos lakukan tahapan berikut ini.

Gunakan text editor apa saja tapi kalau kami biasanya menggunakan nano, edit file dibawah ini

```
sudo nano /etc/sysconfig/network
```

Ubah HOSTNAME=nama-hostname-anda.com

```
# sudo nano /etc/sysconfig/network
HOSTNAME=myserver.domain.com
```

Kemudian untuk internal network definisikan di hosts

```
sudo nano /etc/hosts
```

format penulisan

```
ip_address hostname
```

contohnya seperti ini

```
127.0.0.1 localhost localhost.localdomain localhost4
localhost4.localdomain4
::1 localhost localhost.localdomain localhost6
localhost6.localdomain
119.235.249.118 server1.pusathosting.info
```

From:  
<https://www.pusathosting.com/kb/> - **PusatHosting Wiki**

Permanent link:  
<https://www.pusathosting.com/kb/linux/merubah-hostname?rev=1460426149>

Last update: **2016/04/11 21:55**

